



Safety Data Sheet (SDS)

SDS Number: 21,258-01

07/07/2005

EMERGENCY ASSISTANCE CHEMTREC (International): +1-703-527-3887 (Call Collect)

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Product name : ZEOLYST (TM) ATA-12 Platinum Catalyst

COMMON NAME: Metal Oxide

PRODUCT USE: Catalyst.

SUPPLIER: CRI/Criterion Marketing Asia Pacific Pte Ltd.
298 Tiong Bahru Road
#07-03/04/05 Central Plaza,
Singapore 168730
+65 6276 3627
+65 6276 7456 (FAX)

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS OF THE MATERIAL

Component	Chemical Formula	CAS	Concentration
Aluminum oxide/zeolite carrier		Mixture	< 75 %
Platinum oxide	PtO ₂	1314-15-4	<1 %

3. HAZARDS IDENTIFICATION

Physical Appearance: White Extrudates, Odourless

Human health hazards: Dusts may be irritating to the nose, throat and respiratory tract. May cause sensitization by skin contact.

Safety hazards: No specific hazards.

Environmental precautions: No specific hazards.

4. FIRST AID MEASURES

Eye:

Flush eye with water.

Skin Contact:

Wash skin with water and, if available, soap.

Inhalation:

Move to fresh air.

Ingestion:

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Advice to physicians:

Treat symptomatically. If skin sensitisation has developed and a causal relationship has been confirmed, further exposure should not be allowed.

5. FIRE FIGHTING MEASURES

Extinguishing Media:

Material will not burn; use an extinguishing medium appropriate for the surrounding fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid raising a dust cloud. Do not breathe dust. Avoid contact with skin and eyes. Wear suitable protective clothing and gloves. Use either an atmosphere-supplying respirator or an air-purifying respirator for particulates. In a confined space self-contained breathing apparatus may be required.

Spill Management:

Prevent contamination of soil and water. Do not wash spills into sewers or other public water systems. Prevent further leakage or spillage and prevent from entering drains.

Spill Disposal:

Shovel up and place in a labeled, sealable container for subsequent safe disposal.

7. HANDLING AND STORAGE

Handling Recommendations:

Avoid contact with skin and eyes.
Avoid raising a dust cloud.
Do not breathe dust.
Do not eat, smoke or drink in areas where catalyst is present.
Use only in well ventilated areas. Use local exhaust extraction.
Take precautionary measures against static discharge.
Earth all equipment.

Storage:

Keep container tightly closed and dry.
Reseal plastic liner.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Use only in well ventilated areas. Use local exhaust extraction.

Hygiene measures:

Avoid contact with material. Wash hands thoroughly after handling. Do not reuse clothing if contaminated until thoroughly decontaminated.

Respiratory protection:

Use either an atmosphere-supplying respirator or an air-purifying respirator for particulates.

Eye protection:

Wear safety goggles or glasses to prevent eye contact.

Hand protection:

Wear neoprene, nitrile, PVC or latex gloves to prevent contact.

Body Protection:

When there is a possibility of exposure wear a one piece coated overall with integral hood, safety boots, chemical-resistant without lace holes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical & Chemical Properties	Characteristics
Appearance and Odour:	White Extrudates, Odourless
Solubility in water:	<5%
Bulk density (for solids):	44 +/-2 lb/ft ³

10. STABILITY/REACTIVITY

Stability:

Stable. Hygroscopic.

Materials to avoid:

Strong acids, strong bases, strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

The hazard determination and the information presented below is based on available data derived from testing for the material, hazardous components of this material and/or a testing on a substantially similar material(s). The material tested is indicated in the data.

Potential Health Effects

Eye:

Dusts from material may scratch eye causing mild irritation.

Skin:

May cause sensitization by skin contact.

Inhalation:

Irritating to the nose, throat and respiratory tract. Repeated exposures could lead to an allergic reaction (asthma).

Sensitization

Route	Material Tested	Description	Species
Inhalation	Platinum oxide	Sensitiser	

Ingredient Occupational Exposure Limits

Chemical Name	Authority	Limits	Special Notations
Platinum oxide	ACGIH	TWA 1 mg/m ³	as Pt
Aluminum oxide	S343/96	TWA 10 mg/m ³	

12. ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this material. The information given below is based on a knowledge of the components and the ecotoxicology of similar products.

ENVIRONMENTAL IMPACT

Toxicity:

Not expected to be toxic.

Persistence & Bioaccumulation:

Not inherently biodegradable.

Mobility:

Sinks in water. Partly dissolves, but significant proportion will remain after one day. If product enters soil, one or more constituents will be mobile and may contaminate groundwater.

Sewage treatment:

Not toxic at the limit of water solubility.

13. DISPOSAL CONSIDERATIONS

Product disposal:

Recover or recycle, if possible. Otherwise: Send to an approved contractor for regeneration or metal recovery or dispose with a licensed disposal contractor.

Waste disposal:

If product is unused, see above. If used, evaluate the toxicity and physical properties of the material you have generated and dispose of the material in accordance with local, state and federal regulations.

Container disposal:

Empty containers may contain residues. Ensure container is properly cleaned. Do not cut, puncture, torch or weld on or near the emptied container. Send drum to a drum recoverer or metal reclaimer. Remove all packaging for recovery or waste disposal. **DO NOT USE CONTAINER FOR OTHER PURPOSES.**

Regulatory Controls:

Comply with all federal, state and local laws regulating the handling and disposal of wastes.

14. TRANSPORT INFORMATION

Transport Statement:

Not dangerous for conveyance under UN, DOT, Canadian TDG, IMO, ADR/RID and IATA/ICAO codes. Consult local laws to determine road and rail transportation regulations.

15. REGULATORY INFORMATION

National Inventories

National Authority	Country	Status
EINECS/ELINCS	EC	All components listed.
TSCA	USA	All components listed.

National Authority	Country	Status
MITI	Japan	All components listed.
DSL/NDSL	Canada	All components listed.
TCCL	Korea	All components listed.
AICS	Australia	All components listed.
PICCS	Philippines	All components listed.
IECS	China	All components listed.

Label Text

Label Name	Contains platinum oxide. May produce an allergic reaction.
Risk Phrases	May cause sensitization by inhalation and skin contact.
Safety Phrases	Keep container tightly closed. Avoid contact with skin and eyes. Do not breathe dust. Wear suitable protective clothing.

16: OTHER INFORMATION

Uses and restrictions:

Use as a raw material/intermediate for catalyst manufacture, as a catalyst for refinery processing or for petrochemicals manufacture.

References Cited:

- Patty editor: Industrial Hygiene and Toxicology: New York, NY: Wiley-Interscience
- National Library of Medicine, Hazardous Substances Data Bank: Bethesda, MD
- International Agency for Research on Cancer (IARC) Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man: Geneva, Switzerland: World Health Organization, <http://www.iarc.fr>

SDS distribution:

The information in this document should be made available to all who may handle the product.

Amendment Notation:

Amendments from the previous version of the MSDS are indicated by two vertical bars in the left margin and the section is highlighted.

Disclaimer:

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product.

SDS Prepared By:

CRI/Criterion, Inc.
16825 Northchase Drive, Suite #1110
Houston, TX 77060 (USA)
+1 281-874-2600 (USA CST)

Date of issue:

July/2005
Singapore - (British English)